



**11.1.5 IP address is currently**

- (a) 4 bytes long
- (b) available in plenty
- (c) 6 bytes long
- (d) not assigned as it is all used up

**11.1.6 IP addresses are converted to**

- (a) a binary string
- (b) alphanumeric string
- (c) a hierarchy of domain names
- (d) a hexadecimal string

**11.1.7 Internet addresses must always have at least**

- (i) a country name or organization type**
- (ii) internet service provider's name**
- (iii) name of organization**
- (iv) name of individual**
- (v) type of organization**

- (a) i, ii, iii
- (b) ii, iii, iv
- (c) i, iii
- (d) ii, iii, iv, v

**11.1.8 Internet uses**

- (a) Packet switching
- (b) Circuit switching
- (c) Telephone switching
- (d) Telex switching

**11.1.9 Internet data is broken up as**

- (a) fixed length packets
- (b) variable length packets
- (c) not packetized
- (d) 64 bytes packets

**11.1.10 Internet packet data structure consists of**

- (i) source address**
- (ii) destination address**
- (iii) serial number of packets**
- (iv) message bytes**
- (v) control bits for error checking**
- (vi) path identification bits**

- (a) i, ii, iii
- (b) i, ii, iii, iv
- (c) i, ii, iii, iv, v
- (d) i, ii, iii, iv, v, vi

**11.1.11 The packets of an internet message**

- (a) take a predetermined path
- (b) take a path based on packet priority
- (c) go along different paths based on path availability
- (d) take the shortest path from source to destination

**11.1.12 The time taken by internet packets**

- (a) can be predetermined before transmission
- (b) are same for all packets
- (c) may be different for different packets
- (d) is irrelevant for audio packets

**11.1.13 By an intranet we mean**

- (a) a LAN of an organization
- (b) a Wide Area Network connecting all branches of an organization
- (c) a corporate computer network
- (d) a network connecting all computers of an organization and using the internet protocol

**11.1.14 By an extranet we mean**

- (a) an extra fast computer network
- (b) the intranets of two co-operating organizations interconnected via a secure leased line
- (c) an extra network used by an organization for higher reliability
- (d) an extra connection to internet provided to co-operating organizations

**11.1.15 World Wide Web**

- (a) is another name for internet
- (b) world wide connection for computers
- (c) a collection of linked information residing on computers connected by the internet
- (d) a collection of world wide information

**11.1.16 Among services available on the World Wide Web are**

- (i) Encryption**
- (ii) HTTP**
- (iii) HTML**
- (iv) Firewalls**

- (a) i and ii
- (b) ii and iii
- (c) iii and iv
- (d) i and iv

- 11.1.17 A world wide web contains web pages**
- (a) residing in many computers
  - (b) created using HTML
  - (c) with links to other web pages
  - (d) residing in many computers linked together using HTML
- 11.1.18 A web page is located using a**
- (a) Universal Record Linking
  - (b) Uniform Resource Locator
  - (c) Universal Record Locator
  - (d) Uniformly Reachable Links
- 11.1.19 A URL specifies the following:**
- (i) protocol used**
  - (ii) domain name of server hosting web page**
  - (iii) name of folder with required information**
  - (iv) name of document formatted using HTML**
  - (v) the name of ISP**
- (a) i, ii, iii, iv
  - (b) ii, iii, iv, v
  - (c) i, iii, iv
  - (d) i, ii, iii, v
- 11.1.20 A search engine is a program to search**
- (a) for information
  - (b) web pages
  - (c) web pages for specified index terms
  - (d) web pages for information using specified search terms

## **LEARNING UNIT 2**

- 11.2.1 HTML stands for**
- (a) Hyper Text Making Links
  - (b) Hyper Text Markup Language
  - (c) Higher Textual Marking of Links
  - (d) Hyper Text Mixer of Links
- 11.2.2 HTML is similar to a**
- (a) word processing language
  - (b) screen editor
  - (c) scripting language
  - (d) search engine

**11.2.3 Desirable properties of a website are**

- (i) a meaningful address
- (ii) Help and search facilities
- (iii) Links to related sites
- (iv) Features to allow users to give feedback
- (v) Hosting on a mainframe

- (a) i, ii, iii
- (b) i, ii, iii, iv
- (c) i, ii, iii, iv, v
- (d) i, ii, iii, v

**11.2.4 HTML uses**

- (a) pre-specified tags
- (b) user defined tags
- (c) tags only for linking
- (d) fixed tags defined by the language

**11.2.5 HTML tags define**

- (a) The data types of elements of document
- (b) Presentation of specified elements of a document
- (c) The contents of the document
- (d) The structure of the document

**11.2.6 The tag used in HTML to link it with other URL's is:**

- (a) <A>
- (b) <H>
- (c) <U>
- (d) <L>

**11.2.7 The tags used for specifying fonts in HTML are**

- (i) <B>
- (ii) <I>
- (iii) <U>
- (iv) <L>

- (a) (i) and (ii)
- (b) (i) and (iii)
- (c) (ii) and (iv)
- (d) (i),(ii) and (iii)

**11.2.8 It is possible to display pictures (i.e, images) in HTML specification by using the tag.**

- (a) <GR src = Picture file>
- (b) <PIC src =Picture file>
- (c) <IMG src =Picture file>
- (d) <GIF src=Picture file>

**11.2.9 SGML stands for**

- (a) Standard Generalized Markup Language
- (b) Structured General Markup Language
- (c) Standard Graphics Mapping Language
- (d) Standard General Markup Links

**11.2.10 HTML and XML are markup languages**

- (a) Specially development for the web
- (b) Are based on SGML
- (c) Are versions of SGML
- (d) Independent of SGML

**11.2.11 XML stands for**

- (a) Extra Markup Language
- (b) Excellent Markup Links
- (c) Extended Markup Language
- (d) Extended Marking Links

**11.2.12 XML uses**

- (a) user define tags
- (b) pre-defined tags
- (c) both predefined and user-defined tags
- (d) Extended tags used in HTML and makes them powerful

**11.2.13 In order to interpret XML documents one should**

- (a) Use standardized tags
- (b) Have a document type definition which defines the tags
- (c) Define the tags separately
- (d) Specify tag filename

**11.2.14 The advantages of XML over HTML are**

- (i) It allows processing of data stored in web-pages**
- (ii) It uses meaningful tags which aids in understanding the nature of a document**
- (iii) Is simpler than HTML**
- (iv) It separates presentation and structure of document**

(a) (i),(ii) and (iii)

(b) (i),(ii) and(iv)

(c) (ii),(iii) and (iv)

(d) (i),(iii) and (iv)

**11.2.15 XSL definition is used along with XML definition to specify**

- (a) The data types of the contents of XML document
- (b) The presentation of XML document
- (c) The links with other documents
- (d) The structure of XML document

**11.2.16 XLL definition is used along with XML to specify**

- (a) The data types of the contents of XML document
- (b) The presentation of XML document
- (c) The links with other documents
- (d) The structure of XML document

**11.2.17 DTD definition is used along with XML to specify**

- (a)** The data types of the contents of XML document
- (b)** The presentation of XML document
- (c)** The links with other documents
- (d)** The structure of XML document

## **KEY TO OBJECTIVE QUESTIONS**

11.1.1 d    11.1.2 b    11.1.3 c    11.1.4 b    11.1.5 a    11.1.6 c  
11.1.7 c    11.1.8 a    11.1.9 b    11.1.10 c    11.1.11 c    11.1.12 c  
11.1.13 d    11.1.14 b    11.1.15 c    11.1.16 b    11.1.17 d    11.1.18 b  
11.1.19 a    11.1.20 d    11.2.1 b    11.2.2 a    11.2.3 b    11.2.4 d  
11.2.5 b    11.2.6 a    11.2.7 a    11.2.8 c    11.2.9 a    11.2.10 b  
11.2.11 c    11.2.12 a    11.2.13 b    11.2.14 b    11.2.15 b    11.2.16 c  
11.2.17 a