

Index

A

Aliasing	6.13
Alternate mark inversion	6.59
Amplitude modulation	4.29
figure of merit	7.14
generation of AM	4.42
output signal-to-noise ratio	7.14
phasor representation	4.40
spectrum	4.36
threshold effect	7.15
time-domain description	4.29
transmission bandwidth	4.36
with tone	4.32
Angle modulation	5.1
Autocorrelation function, energy signals	1.85
properties	1.86,1.88
random process	3.14
Auto covariance function, of a random process	3.14

B

Bayes rule	2.8
Balanced modulator	4.51
Bandpass limiter	5.68
Bandpass signals	1.104
Bandpass systems	1.119
Bessel function of first kind	5.21
Binomial distribution	2.59
Bipolar signaling	6.59

C

Capture effect in FM	7.36
Carson's rule	5.17
Central limit theorem	2.67
Central moments	2.49
Chebyshev inequality	2.52
Coherent detection, DSB-SC signals	4.14
SSB signals	4.71
Compander	6.42
Companding Gain	6.48
Complex envelope	1.111
Compression, A-law	6.46
μ - law	6.47
Conditional mean	2.56
Conditional probability	2.7,2.8
Conditional probability density	2.22
Convolution in time domain	1.60
Convolution in time domain property of FT	1.42
Correlation Coefficient	2.53
Costas loop	4.2
Cross-correlation, periodic signals	1.79
energy signals	1.78
random processes	3.26
Cross spectral density	3.37
Cumulative distribution function(see Distribution function)	

D

Delta function (see Dirac delta function)	2.19
left sided delta function	6.80
Delta modulation	6.81,6.92
adaptive	6.85

granular noise	6.85
linear	6.81
slope-overload distortion	6.85
Differential pulse code modulation	6.70
adaptive	6.79
prediction gain	6.77
Dirac delta function	1.49
properties	1.52
Direct method of generating FM signals	5.42
Dirichlet conditions	1.29
Distribution function	2.13
Double side-band suppressed carrier modulation	4.5
coherent detection	4.14
figure of merit	7.11
output signal-to noise ratio	7.10
spectrum	4.10
time-domain description	4.5
Duality property of FT	1.38
E	
Energy spectral density	1.48
Envelope detector	4.52
Ergodic process	3.26
Expected value	2.48
F	
Figure of merit	7.3
Flat-top-sampling	6.11
Foster-Seely discriminator	5.77
Fourier series	1.2
Fourier transform	1.24
properties	1.31
Frequency deviation, maximum	5.16

Frequency discrimination method (of generating SSB)	4.64
Frequency modulation	5.3
bandwidth	5.13
capture effect	7.36
demodulation	5.49
direct method of generation	5.42
figure of merit	7.28
indirect method of generation	5.37
multi-tone	5.85
narrowband	5.14
output signal-to-noise ratio	7.27
phasor representation, narrow band FM	5.20
pre-emphasis, de-emphasis	7.40
root mean square bandwidth	5.86
single tone	5.19
threshold effect	7.33
transmission bandwidth	5.15
wideband	5.15
Frequency response	1.61
Frequency sensitivity of the modulator	5.4
Frequency shifting property of FT	1.37
Frequency translation	4.10
G	
Guassian distribution, one dimensional	2.65
bivariate	2.68
Guassian process	3.41
Gibb's phenomenon	1.19
Flash animation	1.22

H	
Heterodyning	4.100
Hilbert transform	1.95
properties	1.100
I	
Image frequency signal	4.100
Impulse response	1.60
Indirect method (FM generation)	5.37
Instantaneous frequency	5.2
Intermediate frequency	4.98
J	
Joint distribution function	2.19
Jointly Guassian random variables	3.42
Joint probability	2.7
Joint probability density function	2.21
L	
Limiter, bandpass	5.68
Linear modulation	4.1
Log normal PDF	2.67
M	
Manchester code	6.60
Marginal density	2.21
Mean square value	2.49
Mean value	2.48
Mixer	4.98
Modified Bessel function of first kind	3.75
Modulation	4.3
Modulation index for AM	4.32
Modulation index for FM	5.19
Modulation techniques in TV	5.91

N

Narrowband noise	3.61
Canonical representation	3.64
envelope and phase representation	3.65
in-phase and quadrature components	3.64
properties	3.66
Narrowband bandpass signal	1.105
envelope and phase	1.115
in-phase and quadrature components	1.111
Noise, equivalent bandwidth	3.59
thermal	3.47
shot	3.48
Non return-to-zero signaling	6.59
Nyquist rate	6.4

O

On-off signaling	6.59
Over modulation, AM	4.32

P

Periodic signals	1.2
complex exponential FS	1.5
Fourier transform	1.57
Phase discrimination method of generating SSB signals	4.68
Phase modulation	5.3, 5.30
Figure of merit	7.25
Output signal-to-noise ratio	7.25
Phase sensitivity	5.3
Phase locked loop	5.64
Poisson distribution	2.62
Polar signaling	6.59
Power spectral density of a random process	3.30
Predictor, linear	6.73

Pre-envelope	1.107
Probability of an event	2.5
Probability density function	2.17
Product modulator	4.47
Pulse code modulation	
Bandwidth	6.61
output signal-to-noise ratio	7.48
quantization	6.26
system	6.2
Q	
Quadrature-carrier multiplexing	4.79
Quadrature null effect	4.18
Quantizer, mid-riser type	6.30
mid-tread type	6.30
non-uniform	6.41
uniform	6.40
Quantization noise	6.31
R	
Random binary wave	3.34
Random processes,definition	3.3
mean function	3.13
non-stationary	3.10
sample functions	3.4
strictly stationary	3.10
wide sense stationary	3.15
Random variables	2.13
conditional PDF	2.22
correlation coefficient	2.53
covariance	2.53
mean value (also expected value)	2.48
probability density function	2.17

statistical independence	2.23
transformation of	2.27
Random vector	3.8
Ratio detector	5.82
Rayleigh distribution	2.63,3.73
Rayleigh energy theorem	1.47
Return-to-zero signaling	6.59
Rician distribution	3.76
Ring modulator	4.47
Root mean-square bandwidth WBFM	5.86
S	
Sample point	2.4
Sample space	2.4
Sampling, flat-topped	6.11
ideal impulse train	6.4
rectangular pulse train	6.9
Sampling theorem, lowpass signals	6.4
Sidebands	4.12
Signum function	1.69
sinc function	1.26
Single sideband, demodulation	4.71
demodulation errors	4.73
figure of merit	7.12
generation	4.64
output signal-to-noise ratio	7.12
spectrum, upper sideband	4.58
time domain description	4.59
theory	4.57
transmission bandwidth	4.58
Split phase code (see Manchester code)	
Square law modulator	4.42

Squaring loop	4.27
Standard deviation (of a random variable)	2.51
Statistically independent events	2.9
Statistically independent random variables	2.23
Stereophonic FM	5.73
Superheterodyne receiver	4.97
Switching modulator	4.44
Synchronous detection (see coherent detection)	
T	
Thermal noise	3.47
Threshold effect, AM	7.15
FM	7.33
Time scaling property of FT (audio demo)	1.36
Transformation of variables	2.27
U	
Uncorrelated random variables	2.54
Uniform distribution	2.63
Uniform impulse train, FT	1.58
Unit impulse(see Dirac delta function)	
Unit step function	1.69
V	
Variance (of a random variable)	2.50
Vestigial sideband modulation	4.8
envelope detection	4.92
time domain description	4.86
W	
Weaver's method of generating SSB signals	4.71
White noise	3.50
Z	
Zero-crossing detector	5.61
Zero-order hold	1.73